
## CHAPTER3 Names and Functions of Components (MAPS\_STDDF-S199701)

## Sectional Drawing



R 1 1 1	Impeller <sup>(*1)</sup>	R 2 1 1	Shaft <sup>(*2)</sup>
R 2 3 1	Shaft sleeve	C 2 1 1	Upper casing
C 2 1 2	Lower casing <sup>(*3)</sup>	C711	Casing wearing ring
B 2 2 1	Bearing upper housing (*4)	B 2 2 2	Bearing lower housing
S 0 1 1	Gland packing <sup>(*5)</sup>	S122	Packing gland

The above structural drawing is the standard one and may be different from the actual case. For details, refer to the sectional drawing.

<sup>(\*1)</sup> Impellers facing in opposite directions are equipped and rotate to give energy to water.

<sup>(\*2)</sup> The shaft has a thickness with sufficient rigidity for critical speed and is designed to make the deflection smaller.

<sup>(\*3)</sup> As a matter of structure, the casing can be divided horizontally into the upper side and the lower side. When the upper casing is removed, internal inspection will be easily performed.

<sup>(\*4)</sup> As the bearing, a both-end supported type ball bearing is used. For lubrication, the oil lubrication or grease lubrication type is adopted.

<sup>(\*5)</sup> The "external pressure water injection method" which injects water from the outside, the "self-pressure water injection method" which injects pressure water by the pump discharge or the "external/self pressure combined method" which injects water from the outside at a start and injects water by pump pressure is adopted.

<sup>(</sup>The water injection method is based on the pump data sheet.)

<sup>\*</sup>We are in a position to manufacture a mechanical seal type pump if you desire it.