




# CABLE MARKERS


## 0201 KSS EC TYPE CABLE MARKER




UNIT : mm



Marker tongue spans to fit various cable diameters and retracts to hold wires firmly in position.



EC-TYPE  
EC-TYPE CAN BE MADE IN 2 DIGIT



ECA-TYPE



CHEVRON CUT (ECA)


Shape	Item No.	Suitable Wire		Suitable Range I.D.	L	Std. Markings	Packing
		sq	AWG				
Plain Cut	EC-0	0.12~0.75	26~18	2.0~3.2	4.0	Solid number or letter roll for 0,1,2,3,...9 A,B,C,...Z /,+,-,≡, blank ※a-z available as special request	1000pcs / Roll
	EC-1	0.75~3.5	18~12	3.0~4.2	4.0		1000pcs / Roll
	EC-2	3.5~8	12~8	3.6~7.4	5.0		500pcs / Roll
	EC-3	8~22	8~4	5.2~10.0	5.5		250pcs / Roll
Chevron Cut	ECA-02	0.12~0.75	26~18	2.0~3.2	4.0		1000pcs / Roll
	ECA-1	0.75~3.5	18~12	3.0~4.2	4.0		1000pcs / Roll
	ECA-2	3.5~8	12~8	3.6~7.4	5.0		500pcs / Roll
	ECA-3	8~22	8~4	5.2~10.0	5.5		250pcs / Roll

- Material: Made of finest soft grade, strong, durable PVC that will resist oil, grease, and other material erosion.
- Description:
  1. KSS EC type cable marker features high quality flexible interior to fit various cable diameters.
  2. The markers stay attached on a roller and can be despatched easily when needed.
  3. Bold print on yellow body to show your codes distinguishly. Any numbers can be composed by arranging letters and numbers in sequence to provide the necessary codes.
  4. To be fitted before the terminal is attached or solder connection made and grip cable firmly in position.


## 0201 KSS ECP TYPE CABLE MARKER



UNIT : mm



Marker tongue spans to fit various cable diameters and retracts to hold wires firmly in position.



Shape	Item No.	Suitable Wire		Suitable Range I.D.	L	Std. Markings	Packing
		sq	AWG				
Chevron Cut	ECP-02	0.2~1.25	24~18	1.3~3.0	3.0	Solid number or letter roll for 0,1,2,3,...9 A,B,C,...Z /,+,-,≡, blank	1000pcs / Roll
	ECP-1	0.5~5.5	20~10	2.5~5.1	3.0		1000pcs / Roll
	ECP-2	2.0~14.0	14~6	3.6~7.6	4.0		250 pcs / Roll
	ECP-3	8.0~60.0	8~1/0	6.2~16.0	6.0		100 pcs / Bag

- Material : Made of finest soft grade, strong, durable P.V.C. that will resist oil, grease. and other material erosion.
- Description :
  1. KSS ECP type cable marker features high quality flexible interior to fit various cable diameters.
  2. The markers stay attached on a roller and can be despatched easily when needed.
  3. Bold print on yellow body to show your codes distinguishly. Any numbers can be composed by arranging letters and numbers in sequence to provide the necessary codes.
  4. Chevron cut design to keep marking in line consistently.



## 0201 KSS COLOR CODED CABLE MARKER



● Ordering Information: Add color code to the original Size & No.

● For Example : EC1- 0 BK

MARKER SIZE | | | COLOR OF MARKER  
 | | |  
 NUMBER YOU NEED

0	1	2	3	4	5	6	7	8	9
BK	BN	RD	OE	YW	GN	BE	VT	GY	WE

Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded
EC-0	EC0-0BK	EC-1	EC1-0BK	EC-2	EC2-0BK	EC-3	EC3-0BK	FM-1	FM1-0BK
	EC0-1BN		EC1-1BN		EC2-1BN		EC3-1BN		FM1-1BN
	EC0-2RD		EC1-2RD		EC2-2RD		EC3-2RD		FM1-2RD
	EC0-3OE		EC1-3OE		EC2-3OE		EC3-3OE		FM1-3OE
	EC0-4YW		EC1-4YW		EC2-4YW		EC3-4YW		FM1-4YW
	EC0-5GN		EC1-5GN		EC2-5GN		EC3-5GN		FM1-5GN
	EC0-6BE		EC1-6BE		EC2-6BE		EC3-6BE		FM1-6BE
	EC0-7VT		EC1-7VT		EC2-7VT		EC3-7VT		FM1-7VT
	EC0-8GY		EC1-8GY		EC2-8GY		EC3-8GY		FM1-8GY
	EC0-9WE		EC1-9WE		EC2-9WE		EC3-9WE		FM1-9WE

## 0201A KSS MARKER BOX



Item No.	Available loaded quantity of EC Cable Marker	Material
ECB-1	13 pcs	Acrylic

● To keep and verify cable marker in rolls and improve wire application. Suitable for outside wire/application by carrying one box with various markers inside.

## 0202 KSS FLAT CABLE MARKER



UNIT : mm




Item No.	Suitable Wire		Suitable Range	L	Std. Markings	Packing
	sq	AWG				
FM-1	2~8	14~8	3.5~6.0	5.0	Solid number or letter roll for 0,1,2,3,...9 A,B,C,...Z /,+,-,±, blank	500pcs / Roll

● Material : Made of finest soft grade, strong, durable PVC that will resist oil, grease and other material erosion.

● FLAT CABLE MARKER with its unique oval shape design provide

1.slip over cable directly (for small cable)

2.slip onto marker strip (for larger cable or cable bundles)



## 0203 KSS MARKER STRIP




UNIT : mm



Item No.	L	W	T	Available loaded quantity of FM-1 Cable Marker	Packing
MS-65	66	9	6.7	9 pcs	100 pcs
MS-100	100	9	6.95	16 pcs	
MS-135	135	9	7.0	23 pcs	
MS-135L	135	9	13.0	21 pcs	
<b>NEW</b> MS-170	170	9	7.0	30 pcs	


- Material : UL approved Nylon 66 (black) , 94V-2.
- Nylon 66 PLATE with cable tie fastening hole to accommodate marker pieces for easy identification of cable runs.




## 0205 KSS O TYPE CABLE MARKER



UNIT : mm



Item No.	Suitable Wire		Wire Dia. I.D.	L	Std. Markings	Packing
	I.D. sq	AWG				
OM-22S			1.3	10	Special specification is available upon request	100 pcs
OM-20S			1.5			
OM-18S			1.8			
OM-16S			1.9			
OM-0.75	0.75	18	3.0	10	0,1,2,.....100 A,B,C,....Z +,-,=,/,blank	100 pcs
OM-1.25	1.25	16	3.2			
OM-2.0	2.0	14	3.6			
OM-3.5	3.5	12	4.2			
OM-5.5	5.5	10	5.1			
OM-8	8.0	8	6.2			
OM-14	14.0	6	7.6	10	0,1,2,.....9 A,B,C,....Z /,+,-,=,/,blank	100 pcs
OM-22	22.0	4	9.4			



- Material: Soft PVC (white) , to resist oil , grease and other material erosion.
- Sleeve on design.
- Apply before wire termination.
- ◆ Special marking is available upon request

- AC-110
- L OUT
- AUDIO IN
- VIDEO OUT
- DC-12
- 123
- 567-80
- KSS-1

# 0207 KSS O TYPE MARKER TUBE




UNIT : mm



Item No.	Packing	Item No.	Packing	Suitable Wire		Wire Dia. I.D.	
				sq	AWG		
OMR-0.75	100 M	Small Spool Pack	OMR-0.75-10M	10 M	0.75	18	3.0
OMR-1.25	100 M		OMR-1.25-10M	10 M	1.25	16	3.2
OMR-2.0	100 M		OMR-2.0-10M	10 M	2.0	14	3.6
OMR-3.5	100 M		OMR-3.5-10M	10 M	3.5	12	4.2
OMR-5.5	100 M		OMR-5.5-10M	10 M	5.5	10	5.1
OMR-8	50 M		OMR-8-10M	10 M	8.0	8	6.2
OMR-8L	50 M		OMR-8L-10M	10 M	Cat.6A		7.2



Item No.	Suitable Wire		Wire Dia. I.D.	Packing	Large Spool Pack
	sq	AWG			
OMR-0.75-500M	0.75	18	3.0	500M	Large Spool Pack
OMR-1.25-550M	1.25	16	3.2	550M	
OMR-2.0-500M	2.0	14	3.6	500M	
OMR-3.5-400M	3.5	12	4.2	400M	
OMR-5.5-200M	5.5	10	5.1	200M	




- Material : Soft durable PVC (white), resist oil, grease and other material erosion.
- Feature : Air filled tubing with 12 rifling lines inside the tube helps keep it shape and is not easily twisted. Suitable for various typing machines.



Item No.	Suitable Wire		Wire Dia. I.D.	Packing
	sq	AWG		
OMK-0.75	0.75	18	3.0	1000M / Box
OMK-1.25	1.25	16	3.2	
OMK-2.0	2.0	14	3.6	

- Material : Soft durable PVC (white), resist oil, grease and other material erosion.
- Feature : 1. Air filled tubing with 12 rifling lines inside the tube helps keep it shape and is not easily twisted. Suitable for various typing machines.  
2. Packed in box to keep tube clean for printing. Good storage with 1000M per box.



## 0207 KSS O TYPE MARKER TUBE



UNIT : mm




Item No.	Suitable Wire		Wire Dia. I.D.	Packing
	sq	AWG		
OMJ-1.5	0.75	18	2.8	200M / Roll
OMJ-2.5	2.0	14	4.0	
OMJ-4.0	3.5	12	4.5	

- Material : Soft PVC (bright white)
- Available in special color request of bright red, Bright Yellow.



UNIT : mm

Item No.	Suitable Wire		Wire Dia. I.D.	Packing
	sq	AWG		
OMT-2.5	0.5	20	2.5	200M / Roll
OMT-3.0	0.75	18	3.0	
OMT-3.2	1.25	16	3.2	
OMT-3.5	2.0	14	3.5	
OMT-4.0	2.0	14	4.0	
OMT-4.5	3.5	12	4.5	
OMT-5.0	5.5	10	5.0	100M / Roll
OMT-5.5	5.5	10	5.5	
OMT-6.2	8.0	8	6.2	50M / Roll
OMT-6.7			6.7	
OMT-7.1	Cat.6A		7.1	



NEW  
NEW

OMT-2.5-800M	0.5	20	2.5	800M / Roll
OMT-3.0-600M	0.75	18	3.0	600M / Roll
OMT-3.2-650M	1.25	16	3.2	650M / Roll
OMT-3.5-550M	2.0	14	3.5	550M / Roll
OMT-4.0-450M	2.0	14	4.0	450M / Roll
OMT-4.5-400M	3.5	12	4.5	400M / Roll
OMT-5.0-350M	5.5	10	5.0	350M / Roll
OMT-5.5-250M	5.5	10	5.5	250M / Roll

- OMT Feature : Air filled tubing with smooth design, good for various printing machines.
- OMT-6.2 suitable for Cat.5e \ Cat.6 wires.
- OMT-7.1 suitable for Cat.6A wires.

## 0208 KSS FLAT MARKER TUBE




UNIT : mm



NEW

Item No.	D	d1	d2	t	Packing
FMR-3	3.65	1.75	2.0	0.35	100M / Roll
FMR-4	5.10	1.90	3.0	0.40	
FMR-6	6.70	2.80	4.2	0.50	
FMR-8	7.60	3.30	5.0	0.58	
FMR-11	10.45	3.85	6.6	0.73	
FMR-13	12.30	4.80	8.0	0.75	50M / Roll
FMR-18	17.10	5.60	11.0	0.80	





- Material : Soft PVC, resist oil, grease and other material erosion.
- Feature : Flat design and good for printing machine.



# 0210 KSS MARKER PLATE



UNIT : mm



Item No.	L	W	Thickness	Packing
MT-1	26.0	15.2	1.2	100 pcs
MT-2	42.2	21.2	1.2	
MT-3	60.8	25.2	1.2	
MT-4	62.2	51.5	1.3	
MT-3819	38.5	19.1	0.4	
MT-4419	45.3	19.1	0.4	
MT-5019	50.5	19.1	0.4	
MT-6319	65.0	19.1	0.4	
MT-6344	63.8	44.8	0.4	
MT-8819	90.0	19.1	0.4	
<b>NEW</b> MT-13518	135.0	18.0	1.0	

- Material : UL approved Nylon 66
- Color : White
- Used to mark cable bundles for permanent identification.
- Secured with KSS cable ties extensively from CV-075 to CV-432 in variety of ways.
- For tie width : less than 4.8 mm


Item No.	L	W	Thickness	Packing
MT-16080	160.0	80.0	0.6	100 pcs

- Material : UL approved Nylon 66
- Color : White
- Used to mark cable bundles for permanent identification.
- Secured with KSS cable ties extensively from CV-075 to CV-432 in variety of ways.
- For tie width : less than 4.8 mm

# 0212 KSS MARKER BOX



UNIT : mm



Item No.	Dimension				Marking pad	Packing
	W	L	H	W1		
MC-1	32.6	11.5	3.0	5.0	30 × 9.5	100pcs
MC-2	43.5	19.1	4.6	5.1	40 × 17	

- Material : PE Nature
- Using Method : Cut the paper in a suitable size and mark with numbers or letters you want.
- Put the paper into marker box and tie up with cable tie.
- For tie width : less than 4.8 mm

# 0215 KSS SELF ADHESIVE WIRE MARKER





UNIT : mm



BOOK SIZE: L:143 W:82

Item No.	L	W	Std. Markings	Packing
WM-1	25	6.0	Solid : 0,1,2,3,...100 A,B,C,...Z, +, -, $\frac{1}{2}$ Consecutive Number : 0~9, 1~34, 35~67, 68~100, A~Z	4 pcs/Leaf, 80 Leaf/Sheet, 50 Sheet/Box
WM-2	25	6.5	blank	80 Leaf/Sheet, 50 Sheet/Box
WM-3	40	10.0		30 Leaf/Sheet, 50 Sheet/Box
WMB-1	33	5.6	(0~9) @ 1 page	10 page
WMB-2	33	5.6	(A~Z,/,+,-,0~15) x 1 page	
WMB-3	33	5.6	(1~45) X 1 page	
WMB-4	33	5.6	(46~90) X 1 page	
WMB-5	33	5.6	(1~45) X 4 page (46~90) X 4 page (A~Z,/,+,-,0~15) x 2 page	


- Stick to wires for permanent identification.
- Used extensively for cable diameters after or before terminal is attached.
- Cloth type label.
- For your orders, please specify solid or consecutive and what letter (s), number (s) you need.
- ※ WMB-5 content please reference WMB-2、WMB-3、WMB-4
- ※ WM-1 has 4 pieces/sheet. WMB-1, WMB-2, WMB-3, WMB-4 and WMB-5 have 7 pieces/sheet.




# 0225 KSS OC TYPE CABLE MARKER



UNIT : mm



Item No.	Suitable Wire		Suitable Range mm	L	Std. Markings	Packing
	sq	AWG				
OC-1	0.5~0.75	20~18	2.5~3.0	4.0	Solid number or letter roll for 0,1,2,3,...9 A,B,C,...Z /,+,-, $\frac{1}{2}$ , blank	1000 pcs / Roll
OC-2	1.25~2.0	16~14	3.2~3.6			
OC-2L	1.25~2.0	16~14	3.2~3.6			
OC-3	3.5~5.5	12~10	4.2~5.1			
OC-4	5.5~8.0	10~8	5.1~6.2			
OC-8	14	6	7.5~8.0	6.0		300 pcs / Roll



- Material: Rigid PVC
- Standard color: White body maker in black.
- Description:
  1. To be fitted after termination. The marker can be removed without breaking the terminal connection.
  2. O shape design benefit to grip the wire/cable tight.
  3. Clip on design enable it to grip wire/cable firmly in position after termination attached.
  4. Each marker will accommodate multiple wire sizes.
- ※ OC-2L has wider entrance.




## 0230 KSS CM TYPE CABLE MARKER



UNIT : mm



Item No.	Suitable Wire		Wire Dia. I.D.	L	Std. Markings	Packing
	sq	AWG				
CM-0.75	0.75	18	3.0	4.0	Solid number or letter roll for 0,1,2,3,...9 A,B,C,...Z /,+,-,±, blank	100 pcs
CM-1.25	1.25	16	3.2			
CM-2.0	2.0	14	3.6			
CM-3.5	3.5	12	4.2			
CM-5.5	5.5	10	5.1			
CM-8	8.0	8	6.2			



- Material : Rigid P.V.C.
- Clip on design.
- Can be applied after wire termination.


## 0234 KSS MB TYPE CABLE MARKER



UNIT : mm



Item No.		Suitable Wire			Suitable Range I.D.	L	Std. Markings	Packing
Yellow	White	sq	AWG	Fiber Line				
MB-0	MB-0WE	0.75	18	2.0	2.2	4.0	Solid number or letter roll for 0,1,2,3,...9 A,B,C,...Z /,+,-,±, blank	100 pcs
MB-1	MB-1WE	1.25-2.0	16-14	3.0	3.0~3.4			
MB-2	MB-2WE	3.5-5.5	12-10		4.0~5.0			
MB-3	MB-3WE	8.0	8		5.2~6.0	5.0		



- Material : UL approved Nylon 6
- Color : Yellow, White
- Features :
  1. One size MB cable marker is suitable for different cable dia.
  2. Fast, snap-on installation.
  3. Flexible design, not easy to transfigure.
  4. High quality hot-foil stamped.
  5. Special inside stop point design makes MB marker keep in same direction, not overturn, marker read easily.


## 0235 KSS U TYPE CABLE MARKER



UNIT : mm



Item No.	Suitable Wire		L	H	W	W1	Packing
	sq	AWG					
UM-1	1.25~2.0	16~14	12.6	4.3	4.4	3.0	100 pcs



- Material: PP
- Color: Pink(PK1), Blue(BE1), Yellow(YW1), Green(GN1), Purple(VT1).
- Different colors for easy verification of wire funtion.

## 0236 KSS SM TYPE CABLE MARKER



UNIT : mm



Item No.	Packing	Item No.	Packing	Suitable Wire		Suitable Range I.D.	L	Std. Markings
				mm <sup>2</sup>	AWG			
SM-0	1000pcs (25pcsX40strips)	P-SM0	250pcs (25pcsX10strips)	0.12~0.5	26~20	1.2~2.0	2.3	0,1,2,3, ...9 A,B,C,... .Z /,+,-,=, blank
SM-1	1200pcs (30pcsX40strips)	P-SM1	300pcs (30pcsX10strips)	0.5~1.5	20~18	2.2~2.8	2.9	
SM-2	1200pcs (30pcsX40strips)	P-SM2	300pcs (30pcsX10strips)	1.5~2.5	16~14	3.0~3.6	2.8	
SM-3	800pcs (20pcsX40strips)	P-SM3	200pcs (20pcsX10strips)	4~6	12~10	4.2~5.1	2.9	

- Material : UL approved Nylon66, 94V-2
- Color : Yellow
- Yellow body with black printing

## 0236 KSS SM TYPE COLOR CODED CABLE MARKER



UNIT : mm



Item No.	Packing	Item No.	Packing	Suitable Wire		Suitable Range I.D.	L	Std. Markings
				mm <sup>2</sup>	AWG			
SM-0	1000pcs (25pcsX40strips)	P-SM0	250pcs (25pcsX10strips)	0.12~0.5	26~20	1.2~2.0	2.3	0,1,2,3, ...9
SM-1	1200pcs (30pcsX40strips)	P-SM1	300pcs (30pcsX10strips)	0.5~1.5	20~18	2.2~2.8	2.9	
SM-2	1200pcs (30pcsX40strips)	P-SM2	300pcs (30pcsX10strips)	1.5~2.5	16~14	3.0~3.6	2.8	
SM-3	800pcs (20pcsX40strips)	P-SM3	200pcs (20pcsX10strips)	4~6	12~10	4.2~5.1	2.9	

Item No.	Std. Markings	Packing	Item No.	Std. Markings	Packing
PB-SM0	Individual: 0, 1, 2, 3...9 A, B, C ... Z +, -, =, blank	10 strips (25pcs)	PB-SM0	Serial: A ~ M N ~ Z	13 strips (25pcs)
PB-SM1		10 strips (15pcs)	PB-SM1		13 strips (15pcs)
PB-SM2		10 strips (15pcs)	PB-SM2		13 strips (15pcs)
PB-SM3		10 strips (10pcs)	PB-SM3		13 strips (10pcs)

- Material : UL approved Nylon66, 94V-2
- Feature :

1. More effective in marker assembly. It can be applied after completing of terminal assembly to the wire.
2. not easy to transfigure and beautiful, clear printing and longer lasting (not fade easily).
3. Strip off from the cutting point easily when used. Continuously SM type cable markers is string type and each one is connected.

- Ordering Information: Add color code to the original Size & No.
- For Example : SM1- 0 BK

MARKER SIZE | | | COLOR OF MARKER  
NUMBER YOU NEED

0	1	2	3	4	5	6	7	8	9
BK	BN6	RD	OE	YW2	GN	BEC	VT	GY	WE

Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded	Marker Size	Item No. Color Coded
SM-0	SM0-0BK	SM-1	SM1-0BK	SM-2	SM2-0BK	SM-3	SM3-0BK
	SM0-1BN6		SM1-1BN6		SM2-1BN6		SM3-1BN6
	SM0-2RD		SM1-2RD		SM2-2RD		SM3-2RD
	SM0-3OE		SM1-3OE		SM2-3OE		SM3-3OE
	SM0-4YW2		SM1-4YW2		SM2-4YW2		SM3-4YW2
	SM0-5GN		SM1-5GN		SM2-5GN		SM3-5GN
	SM0-6BEC		SM1-6BEC		SM2-6BEC		SM3-6BEC
	SM0-7VT		SM1-7VT		SM2-7VT		SM3-7VT
	SM0-8GY		SM1-8GY		SM2-8GY		SM3-8GY
	SM0-9WE		SM1-9WE		SM2-9WE		SM3-9WE