

COLD SPLICING AND REPAIR MATERIAL


Cold splicing and repair products

Repair strip

For the repair of longitudinal belt cover damage.

Specifications

Polymer basis	SBR	DIN ISO 1629
Specific weight	1.14 g/cm	DIN EN ISO 1183-1
Hardness	64 Shore A	DIN ISO 7619-1
Colour	Black	



Repair strip

Art.-Nr.	Bezeichnung	Abmessung
531 7601	Repair strip	1.7 x 50 x 10 000 mm
531 7728	Repair strip	2.2 x 70 x 10 000 mm
531 7735	Repair strip	2.2 x 100 x 10 000 mm
531 7742	Repair strip	3.2 x 150 x 10 000 mm
531 7754	Repair strip	3.2 x 220 x 10 000 mm
531 7610	Repair strip	3.4 x 300 x 10 000 mm
531 7611	Repair strip	3.4 x 400 x 10 000 mm

Repair strip V


Self-extinguishing, antistatic and moderate oil resistance.

For the repair of longitudinal belt cover damage.

German underground approval: LOBA NW No.: 18.43.21-63-6

Specifications

Polymer basis	CR	DIN ISO 1629
Specific weight	1.39 g/cm ³	DIN EN ISO 1183-1
Hardness	60 Shore A	DIN ISO 7619-1
Colour	Black	



Repair strip V

Ref. No.	Designation	Dimensions
531 8735	Repair strip V	2.2 x 100 x 10 000 mm
531 8742	Repair strip V	3.2 x 150 x 10 000 mm
531 8759	Repair strip V	3.2 x 220 x 10 000 mm