

# Charging Hoses

## Charging and Testing Hoses



Features of REFCO Charging hoses include:

- Standard 870 psi working pressure, 3600 psi burst pressure making the REFCO charging hoses good for all refrigerants including R410A
- Eight sided crimp ensures maximum hose life
- Neoprene seals
- Knurled brass nut for easy finger tightening
- Multiple lengths available
- Color coded for convenience
- Available in packs of 3 (one red, one yellow and one blue hose) or individually



CL-36-Y

## Individual Charging Hoses


Premium REFCO Charging Hoses with 1/4" SAE Fittings

Designation	Description	Part No.
CL-36-Y	36" Yellow hose	9881271
CL-36-R	36" Red hose	9881262
CL-36-B	36" Blue hose	9881253
CL-48-Y	48" Yellow hose	9881270
CL-48-R	48" Red hose	9881261
CL-48-B	48" Blue hose	9881252
CL-60-Y	60" Yellow hose	9881269
CL-60-R	60" Red hose	9881260
CL-60-B	60" Blue hose	9881251
CL-72-Y	72" Yellow hose	9881268
CL-72-R	72" Red hose	9881259
CL-72-B	72" Blue hose	9881250


## Sets of 3

Premium REFCO Charging Hoses with 1/4" SAE Fittings

Designation	Description	Part No.
CCL-36	Set of 3 - 36"	9881278
CCL-48	Set of 3 - 48"	9881277
CCL-60	Set of 3 - 60"	9881276
CCL-72	Set of 3 - 72"	9881275



CCL-36





## Environmentally Friendly REFCO Charging Hoses with Special Barrier Protection

Features include:

- All of the features of the standard charging hose but are made from a special material which prevents virtually any permeation of refrigerant, yet remain flexible and easy to work with
- Meets SAE J2196 for permeation allowance

### Sets of 3

Designation	Description	Part No.
<b>CCL-36-J2196</b>	Set of 3 - 36"	<b>9884728</b>
<b>CCL-60-J2196</b>	Set of 3 - 60"	<b>9884729</b>
<b>CCL-72-J2196</b>	Set of 3 - 72"	<b>9884730</b>



**CCL-36**

## Individual Charging Hoses

Designation	Description	Part No.
<b>CL-36-Y-J2196</b>	36" Yellow hose	<b>9884719</b>
<b>CL-36-R-J2196</b>	36" Red hose	<b>9884720</b>
<b>CL-36-B-J2196</b>	36" Blue hose	<b>9884721</b>
<b>CL-60-Y-J2196</b>	60" Yellow hose	<b>9884722</b>
<b>CL-60-R-J2196</b>	60" Red hose	<b>9884723</b>
<b>CL-60-B-J2196</b>	60" Blue hose	<b>9884724</b>
<b>CL-72-Y-J2196</b>	72" Yellow hose	<b>9884725</b>
<b>CL-72-R-J2196</b>	72" Red hose	<b>9884726</b>
<b>CL-72-B-J2196</b>	72" Blue hose	<b>9884727</b>



**CL-36-R-J2196**



**QC-S410A**

Adapter to take a hose from 1/4" SAE to 5/16" SAE (1/2"-20UNF)

Designation	Description	Part No.
<b>QC-S410A/2</b>	Adapter with core depressor 1/4" SAE male x 5/16" SAE female Packaged 2 per	<b>4687095</b>



**P-509**



**P-509-T**



**P-513**

## Spare Parts for REFCO 1/4" SAE Charging Hoses


Designation	Description	Part No.
<b>P-509/10</b>	Ten neoprene gaskets for 1/4" SAE hoses	<b>9880872</b>
<b>P-509-T/10</b>	Ten Teflon gaskets for 1/4" SAE hoses	<b>9880871</b>
<b>P-513/10</b>	Ten core depressors for Schrader valves	<b>9880869</b>

# Charging Hoses

## REFCO Premium Charging Hoses with Ball Valves

Features include:

- All of the standard REFCO charging hose features plus a compact, color-coded, chrome plated, full flow ball valve to help eliminate the chance of refrigerant burns or atmospheric releases
- Good for R410A
- Available in sets of 3 or individually



**CCL-36-CA**



**CA-CCL-36**

### Sets of 3

Premium REFCO charging hose with ball valve and flexible length of hose between ball valve and fitting. 1/4" SAE on both ends.

Designation	Description	Part No.
<b>CCL-36-CA</b>	Set of 3 - 36" w/CA valve	<b>4668559</b>
<b>CCL-60-CA</b>	Set of 3 - 60" w/CA valve	<b>4668533</b>

Premium REFCO charging hose with ball valve

Designation	Description	Part No.
<b>CA-CCL-36</b>	Set of 3 - 36" w/ball valve	<b>4493614</b>
<b>CA-CCL-60</b>	Set of 3 - 60" w/ball valve	<b>4493622</b>
<b>CA-CCL-72</b>	Set of 3 - 72" w/ball valve	<b>4493631</b>



## Individual Charging Hoses

Premium REFCO charging hoses with ball valve

Designation	Description	Part No.
<b>CA-CL-9-B-M</b>	9" Blue hose w/ball valve	<b>4682056</b>
<b>CA-CL-9-R-M</b>	9" Red hose w/ball valve	<b>4682047</b>
<b>CA-CL-9-Y-M</b>	9" Yellow hose w/ball valve	<b>4682039</b>
<b>CA-CL-36-Y</b>	36" Yellow hose w/ball valve	<b>4492936</b>
<b>CA-CL-60-Y</b>	60" Yellow hose w/ball valve	<b>4492961</b>
<b>CA-CL-60-R</b>	60" Red hose w/ball valve	<b>4492952</b>
<b>CA-CL-60-B</b>	60" Blue hose w/ball valve	<b>4492944</b>
<b>CA-CL-72-Y</b>	72" Yellow hose w/ball valve	<b>4492995</b>
<b>CA-CL-72-R</b>	72" Red hose w/ball valve	<b>4492987</b>
<b>CA-CL-72-B</b>	72" Blue hose w/ball valve	<b>4492979</b>



**CA-CL-9**

**CA-CL-36**



## REFCO Ball Valves

Ball Valve with 1/4" SAE male and female fittings, core depressor and knurled nut



**CA-1/4"SAE-Y**

Designation	Description	Part No.
<b>CA-1/4"SAE-Y</b>	Yellow ball valve with male & female 1/4" fittings	<b>4493738</b>
<b>CA-1/4"SAE-R</b>	Red ball valve with male & female 1/4" fittings	<b>4493533</b>
<b>CA-1/4"SAE-B</b>	Blue ball valve with male & female 1/4" fittings	<b>4493525</b>