






STRATEGIC TOOL LIST

EQ/SYS.		USE		
DCS		SPARE		
No.	Description	OUTLINE	QUANTITY	REMARKS
TJB5-SS-I&C-DCS-001	ACS POWER SUPPLY	<p>Fig. 2.5.41 PWS01-001T Face Overview</p>	3 pcs	KHEA240F-24-C-XTSB KHEA480F-24-C-XTSB
TJB5-SS-I&C-DCS-002	CPU MODULE	<p>Fig. 2.5.42 CPU module overview</p>	3 pcs	CPUL01G002
TJB5-SS-I&C-DCS-003	COMMUNICATION MODULE (MODBUS INTERFACE)	<p>Fig. 2.5.43 CPU01-002T Face Overview</p>	3 pcs	CPU401-0502T
TJB5-SS-I&C-DCS-004	COMMUNICATION MODULE (SOE INTERFACE)	<p>Fig. 2.5.44 CPU01-002T Face Overview</p>	2 pcs	CPU401-0402T
TJB5-SS-I&C-DCS-005	AI MODULE	<p>Fig. 2.5.45 AIM01-001CT Face Overview</p>	3 pcs	AIM401-1611CT

EQ/SYS.			USE	
DCS			SPARE	
No.	Description	OUTLINE	QUANTITY	REMARKS
TJB5-SS-I&C-DCS-006	AO MODULE	<p>Fig. 24-111 AOM401-0411CT Face Overview</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF B LED ON/OFF RUN/STOP A LED ON/OFF COMMUNICATE NORMAL/ABNORMAL F LED ON/OFF FAULT/NORMAL <p>IO CONNECTOR</p>	3 pcs	AOM401-0411CT
TJB5-SS-I&C-DCS-007	DI MODULE	<p>Fig. 24-111 DIM401-3201CT Face Overview</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF B LED ON/OFF RUN/STOP A LED ON/OFF COMMUNICATE NORMAL/ABNORMAL F LED ON/OFF FAULT/NORMAL INPUT ON/OFF STATUS LED INDICATOR (1 to 32) <p>IO CONNECTOR</p>	3 pcs	DIM401-3201CT
TJB5-SS-I&C-DCS-008	DI SOE MODULE	<p>Fig. 24-111 IIM401-3211CT Face Overview</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF B LED ON/OFF RUN/STOP A LED ON/OFF COMMUNICATE NORMAL/ABNORMAL F LED ON/OFF FAULT/NORMAL INPUT ON/OFF STATUS LED INDICATOR (1 to 32) <p>IO CONNECTOR</p>	2 pcs	IIM401-3211CT
TJB5-SS-I&C-DCS-009	DO MODULE	<p>Fig. 24-111 DOM401-3201CT Face Overview</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF B LED ON/OFF RUN/STOP A LED ON/OFF COMMUNICATE NORMAL/ABNORMAL F LED ON/OFF FAULT/NORMAL INPUT ON/OFF STATUS LED INDICATOR (1 to 32) <p>IO CONNECTOR</p>	3 pcs	DOM401-3201CT
TJB5-SS-I&C-DCS-010	TC MODULE	<p>Fig. 24-111 AIM401-0806T Face Overview</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF B LED ON/OFF RUN/STOP A LED ON/OFF COMMUNICATE NORMAL/ABNORMAL F LED ON/OFF FAULT/NORMAL <p>IO TERMINALS</p>	3 pcs	AIM401-0806T

EQ/SYS.			USE	
DCS			SPARE	
No.	Description	OUTLINE	QUANTITY	REMARKS
TJB5-SS-I&C-DCS-011	RTD MODULE	<p>Fig. 2.5.7.1 AIM401-0805T Pin Out</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF R-LED ON/OFF RUN/STOP A-LED ON/OFF COMM/DIAGNOSTIC NORMAL/ABNORMAL F-LED ON/OFF FAULT/NORMAL <p>IO TERMINALS</p>	3 pcs	AIM401-0805T
TJB5-SS-I&C-DCS-012	PI MODULE	<p>Fig. 2.5.7.2 PIM401-0801T Pin Out</p> <ul style="list-style-type: none"> LED ON/OFF POWER ON/OFF R-LED ON/OFF RUN/STOP A-LED ON/OFF COMM/DIAGNOSTIC NORMAL/ABNORMAL F-LED ON/OFF FAULT/NORMAL OUTPUT ON/OFF STATUS LED INDICATOR 0 to 8 <p>IO TERMINALS</p>	4 pcs	PIM401-0801T
TJB5-SS-I&C-DCS-013	TERMINAL BLOCK-ANALOG	<p>Fig. 2.5.1.1 CTCL02G3 Pin Out</p> <p>Dimensions: 18.00mm, 45.00mm, 37.50mm, 90.00mm, 10.00mm</p>	3 pcs	CTCL02G3
TJB5-SS-I&C-DCS-014	TERMINAL BLOCK-ANALOG	<p>Fig. 2.5.1.2 CTCL03G1 Pin Out</p> <p>Dimensions: 18.00mm, 45.00mm, 37.50mm, 90.00mm, 10.00mm</p>	3 pcs	CTCL03G1
TJB5-SS-I&C-DCS-015	TERMINAL BLOCK- DIGITAL	<p>Fig. 2.5.1.3 CTCL04G1 Pin Out</p> <p>Dimensions: 31.50mm, 45.00mm, 37.50mm, 90.00mm, 10.00mm</p>	3 pcs	CTCL04G1

EQ/SYS.			USE	
DCS			SPARE	
No.	Description	OUTLINE	QUANTITY	REMARKS
TJB5-SS-I&C-DCS-016	TERMINAL BLOCK- DIGITAL		3 pcs	CTCL05G1
TJB5-SS-I&C-DCS-017	TERMINAL BLOCK- DIGITAL		3 pcs	CTCL05G5
TJB5-SS-I&C-DCS-018	TERMINAL BLOCK- DIGITAL		3pcs	CTCL07G1
TJB5-SS-I&C-DCS-019	BREAKER - 6 A	 Fig.2.8.1 CB TMI	3 pcs	CB TM 1 6A SFB P CB TM 2 6A M1 P
TJB5-SS-I&C-DCS-020	BREAKER - 10 A	 Fig. 2.9.1 Outline of MCCB	3 pcs	BW32SAG-2P010 BW32SAG-2P010 C2