



HAMON RESEARCH COTTRELL

Member of Hamongroup

LV Motor for Pit Pump -50/60HTT10AP101/102

CONFIDENTIAL

铭牌信息 Nameplate

1	3-Mot. 1LE0001-3BA2	3-3AA4-Z	355M IMB3 IP55	LMH-1008/800003888993/001	26				
6	V	Hz	kW	A	EFF.	cos φ	r/min	EFF. Cl.	12
7	380/660 Δ/Y	50	220	390/225	95.0%	0.90	2980	IE2	11
8	440 Δ	60	246	375	95.4%	0.90	3580		10
14	BRG DE 6319 C3		BRG NDE 6319 C3		Th. Cl. 155(F)		13		
15	GREASE		IEC 60034-30		15				
16	Re-grease interval :2000h		Quantity: 40g		GB 18613-2012 Eff.-Grade3				
17	Q/321081 KJA001-2012		Net: 1600		kg				

- 1 三相异步电动机 Three-phase low-voltage motor
- 2 订货号 Order No.
- 3 产品序列号 Series number
- 4 安装结构形式 Type of construction
- 5 防护等级 Degree of protection
- 6 额定电压 Rated voltage and Winding connections
- 7 频率 Frequency [Hz]
- 8 额定功率 Rated output [kW]
- 9 额定电流 Rated current [A]
- 10 效率 Efficiency
- 11 功率因数 Power factor [cosφ]
- 12 额定转速 Rated speed
- 13 绝缘耐热等级 Thermal class
- 14 驱动端轴承 Bearing at the drive end
- 15 润滑脂类型 Grease type
- 16 再润滑周期 Re-grease interval
- 17 执行标准 Standards
- 18 再加润滑脂的重量 Quantity
- 19 非驱动端轴承 Bearing at the non-drive end
- 20 中国国家标准 GB standard
- 21 净重 Net weight
- 22 中国能效等级 GB efficiency grade
- 23 机座号 Frame size
- 24 平衡方式 Balance method
- 25 IEC 标准 IEC standard
- 26 IEC 能效等级 IEC efficiency class

